MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PATTON 701 CLEANER / DEGREASER

GENERAL USE: Cleaner / Degreaser

PRODUCT DESCRIPTION: Blue liquid, mild characteristic odor



						INDUS	IKIAL SEKVICES	
MANUFACTURER'S NAME		DATE PREPA	ARED:	April 23, 2	2008		Dogo	1 05 1
Patton Industrial Services		SUPERSEDES: New Page 1 014						
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE	NUMBE	R FOR INF	ORMATI	ON		
1802 North Hearne		(318) 227-4						
(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGENC'		_				
Shreveport, LA 71107	USA	Infotrac (80			de USA	(352) 323	-3500	
SECTION	V <i>2 - HAZARL</i>	DOUS ING	REDIE	NTS				
HAZARDOUS COMPONENTS	CAS#	%	OSH	SHA PEL ACGIH TWA SARA			RQ	
		(by weight)	PPM	MG/M3	PPM	MG/M3	TITLE III	LBS
	444.70.0	,, ,,		ļļ		IVIG/IVIS		
Ethylene glycol monobutyl ether (a,b)	111-76-2	3 - 7	50	240	20		Yes	
The remaining components of this product are no							resholds for	or
disclosure. These components contain no substa	nces or impurities v	vhich would influ	lence the	classificati	on of this	s product.		
(a) See Section 15								
(b) Indicates an employee's skin exposure shall be preve	nted or reduced to the	e extent necessary	y in the circ	cumstances	through th	e use of glo	oves, covera	ılls,
goggles, or other appropriate equipment.		******						
SECTIO	N <i>3 - HAZAR</i>	DS IDENTI	IFICAT	ION				
EMERGENCY OVERVIEW								
Alkaline liquid, prolonged contact may cause skin &	eye irritation. Inge	stion may caus	e gastric (distress. H	lazard Sy	mbols for	this produ	ct - Xi,
Risk Phrases - R36/38								
POTENTIAL LIEALTH EFFECTO								
POTENTIAL HEALTH EFFECTS	- d		- bdk	- diin-				
INHALATION: Irritating to upper respiratory tract a	na mucous membra	ines; may cause	e neadacr	ie, aizzines	ss, nause	ea, vomitin	ig and maia	aise.
SKIN: Irritation may result from contact; prolonged	contact may cause	moderate redd	oning sw	alling and	nossiblo	nocrocic		
SKIN. IIIIalion may result from contact, prolonged	Contact may cause	moderate redu	eriirig, sw	reiling and	possible	HECHOSIS.		
EYES: Contact with eyes is painful and irritating ar	nd may cause seve	e irritation asso	ociated wi	th redness	and swe	lling of the	e conjunctiv	
= 1 = 0. Contact with cycle is painful and initiating at	ia iliay badac acvel	5a	Joiatou Wi	10011033	and SWC	ig of tile	Johnjunion	/a
								/a.
								/a.
INGESTION: Irritating to digestive tract: may cause	e gastric distress si	omach pains ar	nd vomitin	ia: modera	itely toxic	c. mav resi	ult in red bl	
INGESTION: Irritating to digestive tract; may cause hemolysis.	e gastric distress, st	omach pains ar	nd vomitin	ıg; modera	itely toxic	c, may res	ult in red bl	
INGESTION: Irritating to digestive tract; may cause hemolysis.	e gastric distress, si	omach pains ar	nd vomitin	ıg; modera	itely toxic	c, may res	ult in red bl	
hemolysis.	e gastric distress, st	omach pains ar		ng; modera	ntely toxic		ult in red b	
								lood cel

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: PATTON 701 CLEANER / DEGREASER

April 23, 2008

SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; wash mouth and nasal passages with water repeatedly; if breathing difficulties persist seek medical attention.

SKIN: Wash contacted area with soap and water; DO NOT attempt to neutralize with chemical agents; if irritation persists, seek medical

EYES: Check for and remove contact lenses. Immediately flush eyes for 15 minutes in clear running water while holding eyelids open; seek medical attention immediately.

INGESTION: Drink large quantities of water or milk; DO NOT induce vomiting; never give anything by mouth to an unconscious person; seek medical attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED) FLAMMABLE LIMITS LEL: Not applicable UEL: Not applicable Non-flammable **AUTOIGNITION TEMPERATURE:** Not determined NFPA CLASS: None

GENERAL HAZARDS: Product is alkaline. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

EXTINGUISHING MEDIA

Carbon dioxide, water, water fog, dry chemical, chemical foam.

FIRE FIGHTING PROCEDURES

Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released. Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

HAZARDOUS COMBUSTION PRODUCTS

Smoke, fumes or vapors, oxides of carbon.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes. Wash small spills to sanitary sewer. Large spills - confine spill, soak up with approved absorbent, shovel product into approved container for disposal. This is a regulated product, refer to SARA Title III, Section 313 40 CFR 372 for complete spill reporting regulations.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Keep this and other chemicals out of reach of children.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS

The use of local exhaust ventilation is recommended. Use corrosion-resistant ventilation equipment.

PERSONAL PROTECTION:

RESPIRATORY PROTECTION: None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134, ANSI Z88.2, or European Standard EN 149 for complete

PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubber gloves with cuffs.

EYE PROTECTION: Chemical splash goggles. Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, or other equipment should be worn to minimize skin contact, safety eyewash station nearby.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

Page 2 of 4

MATERIAL SAFETY DATA SHEET PRODUCT NAME: PATTON 701 CLEANER / DEGREASER Page 3 of 4 April 23, 2008 SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES APPEARANCE AND ODOR VAPOR DENSITY (AIR = 1) Blue liquid, mild characteristic odor SPECIFIC GRAVITY (WATER = 1) EVAPORATION RATE (Water = 1) SOLUBILITY IN WATER % VOLATILE (BY WEIGHT) Complete 92% **VAPOR PRESSURE** pΗ 17 mm Hg @ 20° C 12.0 - 12.5 BOILING POINT FREEZING POINT 212° F (100° C) 32° F (0° C) VOLATILE ORGANIC COMPOUNDS (VOC's) VISCOSITY Like that of water None SECTION 10 - STABILITY AND REACTIVITY CONDITIONS TO AVOID: Extreme temperatures. **STABILITY** UNSTABLE: STABLE: X INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids. HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced. MAY OCCUR: HAZARDOUS POLYMERIZATION CONDITIONS TO AVOID: None WILL NOT OCCUR: X SECTION 11 - TOXICOLOGICAL INFORMATION LD50 of Ingredient LC50 of Ingredient CAS# **EINECS#** Hazardous Ingredients Species and Route Species 450 ppm / 4H 470 mg / kg Ethylene glycol monobutyl ether (a,b) 111-76-2 203-905-0 Inhalation - rat Oral - rat

SECTION 12 - ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260 - 299 for complete waste disposal regulations for alkaline materials. Consult your local, state, or federal agency before disposing of any chemicals.

SECTION 14 - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Non - Hazardous for Transport

DOT HAZARD CLASS / Pack Group: Not regulated

REFERENCE: Not Applicable

UN / NA IDENTIFICATION NUMBER: None

(a) See Section 15

LABEL: None Required

HAZARD SYMBOLS: None

IATA HAZARD CLASS / Pack Group: Not regulated IMDG HAZARD CLASS: Not regulated

RID/ADR Dangerous Goods Code: Not regulated UN TDG Class / Pack Group: Not regulated

Hazard Identification Number (HIN): None

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: PATTON 701 CLEANER / DEGREASER

April 23, 2008 Page 4 of 4

SECTION 15 - REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories

None

313 Reportable Ingredients:

(a) Indicates a toxic chemical subject to annual reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

CERCLA (Comprehensive Response Compensation and Liability Act)

None

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no reportable chemicals present known to the state of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: D2B

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

Risk Phrases

R36/38 Irritating to eyes and skin.

SYMBOL(S) REQUIRED FOR LABEL

Irritant



Safety Phrases

S2 Keep out of the reach of children.S24/25 Avoid contact with skin and eyes.S28 After contact with skin, wash immediately with plenty of soap and water.

SECTION 16 - OTHER INFORMATION

Specific toxicity tests have not been conducted on this product. Our hazard evaluation is based on Information from similar products, the ingredients, technical literature, and/or professional experience.

HMIS HAZARD RATINGSHEALTH1* = Chronic Health Hazard2 = MODERATEFLAMMABILITY00 = INSIGNIFICANT3 = HIGH

PHYSICAL HAZARD 0 1 = SLIGHT 4 = EXTREME

PERSONAL PROTECTIVE EQUIPMENT

REVISION SUMMARY:

This MSDS has been revised in the following sections: No changes noted

MSDS Prepared by:

Comprehensive Data Base, Inc.

С

P.O. Box 686

Seffner, FL 33583 USA

(863) 644 - 3298 www.compdatabase.com or www.msds.cc

Safety Glasses, Gloves, Apron

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendoe or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.