MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PATTON ATTACK WW1

GENERAL USE: Degreaser \ Cleaner \ Cold Parts Soaking PRODUCT DESCRIPTION: Red liquid, mild characteristic odor



					INDUSTRIAL SERVICES			
MANUFACTURER'S NAME		DATE PREPA	ARED:	April 23, 2	2008			4 (4
Patton Industrial Services	SUPERSEDES: New Page 1 of 4							
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE		R FOR INF	ORMAT	ION		
1802 North Hearne		(318) 227-4	.000					
(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGENCY TELEPHONE NUMBER						
Shreveport, LA 71107	USA	Infotrac (800) 535-5053 Outside USA (352) 323-3500						
SECTIO	N 2 - HAZARI	DOUS ING	REDIE	NTS				
HAZARDOUS COMPONENTS	<u> </u>	% OSHA PEL ACGIH TWA SARA					SARA	RQ
	CAS#	(by weight)	PPM	MG/M3	PPM	MG/M3	TITLE III	LBS
Ethylene glycol monobutyl ether (a,b)	111-76-2	3 - 7	50	240	20	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Yes	~=~=
disclosure. These components contain no substance (a) See Section 15 (b) Indicates an employee's skin exposure shall be previously goggles, or other appropriate equipment.	•						oves, cover	alls,
SECTIO	ON 3 - HAZAR	DS IDENT	IFICAT	ION				
EMERGENCY OVERVIEW								
Alkaline liquid, prolonged contact may cause skin Risk Phrases - R36/38	& eye irritation. Ingo	estion may caus	e gastric c	distress. H	lazard Sy	mbols for	this produ	ict - Xi,
POTENTIAL HEALTH EFFECTS								
INHALATION: Irritating to upper respiratory tract a	and mucous membra	anes: may caus	e headach	e. dizzines	ss. nause	ea. vomitin	g and mal	aise.
The state of the s		arroe, may cade		.0, 0	,	, vo	9 4.14 1114.	u
SKIN: Irritation may result from contact; prolonged	d contact may cause	e moderate redd	ening, sw	elling and	possible	necrosis.		
EYES: Contact with eyes is painful and irritating a	and may cause seve	re irritation, asso	ociated wit	th redness	and swe	elling of the	e conjuncti	va.
INGESTION: Irritating to digestive tract; may cause hemolysis.	se gastric distress, s	tomach pains a	nd vomitin	g; modera	ntely toxic	c, may res	ult in red b	lood ce
CARCINOGENICITY	NTP?	No	IARC MON	NOGRAPHS?	No	OSHA R	EGULATED?	No

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: PATTON ATTACK WW1

April 23, 2008 Page 2 012

SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; wash mouth and nasal passages with water repeatedly; if breathing difficulties persist seek medical attention.

SKIN: Wash contacted area with soap and water; DO NOT attempt to neutralize with chemical agents; if irritation persists, seek medical attention

EYES: Check for and remove contact lenses. Immediately flush eyes for 15 minutes in clear running water while holding eyelids open; seek medical attention immediately.

INGESTION: Drink large quantities of water or milk; DO NOT induce vomiting; never give anything by mouth to an unconscious person; seek medical attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED) FLAMMABLE LIMITS LEL: Not applicable UEL: Not applicable

Non-flammable AUTOIGNITION TEMPERATURE: Not determined NFPA CLASS: None

GENERAL HAZARDS: Product is alkaline. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

EXTINGUISHING MEDIA

Carbon dioxide, water, water fog, dry chemical, chemical foam.

FIRE FIGHTING PROCEDURES

Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released. Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

HAZARDOUS COMBUSTION PRODUCTS

Smoke, fumes or vapors, oxides of carbon.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes. Wash small spills to sanitary sewer. Large spills - confine spill, soak up with approved absorbent, shovel product into approved container for disposal. This is a regulated product, refer to SARA Title III, Section 313 40 CFR 372 for complete spill reporting regulations.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Keep this and other chemicals out of reach of children.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS

The use of local exhaust ventilation is recommended. Use corrosion-resistant ventilation equipment.

PERSONAL PROTECTION:

RESPIRATORY PROTECTION: None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134, ANSI Z88.2, or European Standard EN 149 for complete regulations.

PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubber gloves with cuffs.

EYE PROTECTION: Chemical splash goggles. Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, or other equipment should be worn to minimize skin contact, safety eyewash station nearby.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

Page 2 of 4

MATERIAL SAFETY DATA SHEET PRODUCT NAME: PATTON ATTACK WW1 Page 3 of 4 April 23, 2008 SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES APPEARANCE AND ODOR VAPOR DENSITY (AIR = 1) Red liquid, mild characteristic odor SPECIFIC GRAVITY (WATER = 1) EVAPORATION RATE (Water = 1) SOLUBILITY IN WATER % VOLATILE (BY WEIGHT) Complete 88.50% VAPOR PRESSURE pΗ 17 mm Hg @ 20° C 12.0 - 12.5 FREEZING POINT **BOILING POINT** 212° F (100° C) 32° F (0° C) VOLATILE ORGANIC COMPOUNDS (VOC's) VISCOSITY Like that of water None SECTION 10 - STABILITY AND REACTIVITY CONDITIONS TO AVOID: Extreme temperatures. **STABILITY** UNSTABLE: STABLE: X INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids. HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced. MAY OCCUR: HAZARDOUS POLYMERIZATION CONDITIONS TO AVOID: None WILL NOT OCCUR: X SECTION 11 - TOXICOLOGICAL INFORMATION LD50 of Ingredient LC50 of Ingredient CAS# **EINECS#** Hazardous Ingredients Species and Route Species 450 ppm / 4H 470 mg / kg Ethylene glycol monobutyl ether (a,b) 111-76-2 203-905-0 Inhalation - rat Oral - rat

SECTION 12 - ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260 - 299 for complete waste disposal regulations for alkaline materials. Consult your local, state, or federal agency before disposing of any chemicals.

SECTION 14 - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Non - Hazardous for Transport

DOT HAZARD CLASS / Pack Group: Not regulated

REFERENCE: Not Applicable

UN / NA IDENTIFICATION NUMBER: None

(a) See Section 15

LABEL: None Required

HAZARD SYMBOLS: None

IMDG HAZARD CLASS: Not regulated RID/ADR Dangerous Goods Code: Not regulated UN TDG Class / Pack Group: Not regulated

Hazard Identification Number (HIN): None

IATA HAZARD CLASS / Pack Group: Not regulated

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: PATTON ATTACK WW1
April 23, 2008
Page 4 of 4

SECTION 15 - REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories

None

313 Reportable Ingredients:

(a) Indicates a toxic chemical subject to annual reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

CERCLA (Comprehensive Response Compensation and Liability Act)

None

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no reportable chemicals present known to the state of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: D2B

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

Risk Phrases

R36/38 Irritating to eyes and skin.

SYMBOL(S) REQUIRED FOR LABEL

Irritant



Safety Phrases

S2 Keep out of the reach of children.S24/25 Avoid contact with skin and eyes.S28 After contact with skin, wash immediately with plenty of soap and water.

SECTION 16 - OTHER INFORMATION

Specific toxicity tests have not been conducted on this product. Our hazard evaluation is based on Information from similar products, the ingredients, technical literature, and/or professional experience.

HMIS HAZARD RATINGSHEALTH1* = Chronic Health Hazard2 = MODERATEFLAMMABILITY00 = INSIGNIFICANT3 = HIGH

PHYSICAL HAZARD 0 1 = SLIGHT 4 = EXTREME

PERSONAL PROTECTIVE EQUIPMENT C Safety Glasses, Gloves, Apron

REVISION SUMMARY:

This MSDS has been revised in the following sections: No changes noted

MSDS Prepared by:

Comprehensive Data Base, Inc.

P.O. Box 686

Seffner, FL 33583 USA

(863) 644 - 3298 www.compdatabase.com or www.msds.cc

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendoe or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.