

Safety Data Sheet

Issue Date: 22-Apr-2008 Revision Date: 14-Sep-2015 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Big Red

Other means of identification

SDS # PATTON-005

Recommended use of the chemical and restrictions on use

Recommended Use Truck/car prespray.

Details of the supplier of the safety data sheet

Manufacturer Address Patton Industrial Services 1005 Aero Drive Shreveport, LA 71107

Emergency Telephone Number

Company Phone Number Emergency Telephone (24 hr) 318-227-4000

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Red liquid Physical State Liquid Odor Mild characteristic

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Signal Word Danger

Hazard Statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Tetrasodium EDTA	64-02-8	<5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Immediately call a poison center or doctor/physician.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

Skin Contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a poison center or doctor/physician.

Ingestion Rinse mouth. Do not induce vomiting.

Most important symptoms and effects

Symptoms Causes severe skin burns and eye damage.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not considered flammable or combustible.

Hazardous Combustion Products Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide. Smoke, fumes or vapors, and oxides of carbon.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsMaterial is alkaline and will irritate the eyes if product is allowed to directly contact the eyes.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-UpMaterial is alkaline and will irritate the eyes if product is allowed to directly contact the eyes.

Wash small spills to sanitary sewer. Large spills - confine spill, soak up with approved

absorbent, shovel product into approved container for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin

thoroughly after handling. Wear protective gloves/protective clothing and eye/face

protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep container closed when not in use. Protect from physical damage.

Protect from extreme temperatures.

Incompatible Materials Strong oxidizing agents. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Glycerol	-	TWA: 15 mg/m ³ mist, total	-
56-81-5		particulate	
		TWA: 5 mg/m ³ mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m ³ mist,	
		total particulate	
		(vacated) TWA: 5 mg/m ³ mist,	
		respirable fraction	
Caustic Soda	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Revision Date: 14-Sep-2015 PATTON-005 - Big Red

Appropriate engineering controls

Engineering Controls The use of local exhaust ventilation is recommended. Use corrosion-resistant ventilation

equipment. Showers. Eyewash stations.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses recommended.

Skin and Body Protection Protective gloves recommended.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid **Appearance** Red liquid Color

Red

Odor **Odor Threshold** Mild characteristic Not determined

Remarks • Method Property Values

11.5-12.5 pН

Melting Point/Freezing Point 0 °C / 32 °F 100 °C / 212 °F **Boiling Point/Boiling Range** Flash Point Non-flammable

Evaporation Rate

Liquid-Not applicable

Flammability (Solid, Gas) **Upper Flammability Limits**

Not applicable **Lower Flammability Limit** Not applicable

Vapor Pressure 17 mm Hg **Vapor Density** <1 **Specific Gravity** 1.001

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined Kinematic Viscosity Like that of water **Dynamic Viscosity** Not determined **Explosive Properties** Not determined

Oxidizing Properties Not determined **VOC Content (%)** 97% **VOC Content** None

(Water = 1)

@ 20°C (68°F) (Air=1) (Water = 1)

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid

Incompatible Materials. Extreme temperatures.

Incompatible Materials

Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products

In case of fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Quaternary Cocoalkylamine	= 580 mg/kg (Rat)	-	-
Ethoxylate			
61791-10-4			
Alcohol Ethoxylate	= 1400 mg/kg (Rat) = 1378 mg/kg	> 2 g/kg (Rabbit)	-
68439-46-3	(Rat)		
Tetrasodium EDTA	= 1658 mg/kg (Rat) = 10 g/kg (-	-
64-02-8	Rat)		
Glycerol	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m ³ (Rat) 1 h
56-81-5			
Caustic Soda	-	= 1350 mg/kg (Rabbit)	-
1310-73-2		- '	

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static		610: 24 h Daphnia magna mg/L EC50
Glycerol 56-81-5		51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static		500: 24 h Daphnia magna mg/L EC50
Caustic Soda 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Glycerol	-1.76
56-81-5	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Caustic Soda	Toxic
1310-73-2	Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Tetrasodium EDTA	Present	Χ		Present		Present	Χ	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Caustic Soda	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Caustic Soda	1000 lb			X

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Glycerol 56-81-5	X	X	X
Caustic Soda 1310-73-2	X	X	X

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial HazardsNot determinedNot determinedNot determinedNot determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection

0 0

Issue Date:22-Apr-2008Revision Date:14-Sep-2015Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet
