MATERIAL	SAFE	TY DA	ATA	SH	[EE	Τ,		
SECTION 1 - PROL	DUCT AND	COMPAN	/ IDEN	TIFICA	TION			
PRODUCT NAME: PATTON * GENERAL	*		<u> </u>					
GENERAL USE: All Purpose Cleaner / Degreaser							2	
PRODUCT DESCRIPTION: Green liquid, mild chara	cteristic odor						TON	
						INDUST	RIAL SERVICES	
MANUFACTURER'S NAME		DATE PREPA	RED: A	April 23, 2	008			- f 4
Patton Industrial Services		SUPERSEDE	S: N	New			Page 1	of 4
ADDRESS (NUMBER, STREET, P.O. BOX) 1802 North Hearne		TELEPHONE NUMBER FOR INFOR			ORMAT	ION		
(CITY, STATE AND ZIP CODE)	COUNTRY	(318) 227-4000 EMERGENCY TELEPHONE NUMBER						
Shreveport, LA 71107	USA	Infotrac (800	0) 535-505	3 Outsid		(352) 323	-3500	
SECTION	2 - HAZARI	DOUS ING	REDIEN	ITS				
	CAS #	%	OSHA	PEL	ACGI	H TWA	SARA	RQ
HAZARDOUS COMPONENTS	CAS #	(by weight)	PPM	MG/M3	PPM	MG/M3	TITLE III	LBS
Ethylene glycol monobutyl ether (a,b)	111-76-2	1 - 5	50	240	20		Yes	
The remaining components of this product are non- disclosure. These components contain no substance							resholds fo	or
(a) See Section 15								
(b) Indicates an employee's skin exposure shall be prevente goggles, or other appropriate equipment.	ed or reduced to the	e extent necessary	in the circu	mstances t	inrougn tr	ne use of glo	oves, covera	lis,
SECTION	3 - HAZAR	DS IDENTI	FICATI	ON				
						and the fact	1.1	
Alkaline liquid, prolonged contact may cause skin & e Risk Phrases - R36/38	ye irritation. Inge	estion may cause	e gastric di	stress. H	azard Sy	mbols for	this produc	ct - XI,
POTENTIAL HEALTH EFFECTS								
INHALATION: Irritating to upper respiratory tract and	mucous membra	anes; may cause	e headache	, dizzines	s, nause	ea, vomitin	g and mala	aise.
SKIN: Irritation may result from contact; prolonged co	ontact may cause	moderate redde	ening, swe	lling and	possible	necrosis.		
EYES: Contact with eyes is painful and irritating and		ra irritation and	aiatad with	radnaaa	and our	lling of the	ooniunotiu	
ETES. Contact with eyes is paintur and initiating and	may cause seve	re imiation, asso		reuness	and swe	anng or the	conjunctiv	d.
INGESTION: Irritating to digestive tract; may cause g hemolysis.	jastric distress, s	tomach pains ar	id vomiting	; modera	tely toxic	c, may resu	uit in red bl	ood cell
CARCINOGENICITY	NTP?	No	IARC MON	OGRAPHS?	No	OSHA RI	EGULATED?	No

MATERIAL SAFETY DATA SHEET		
PRODUCT NAME: PATTON * GENERAL * April 23, 2008		Page 2 of 4
SECTIC	DN 4 - FIRST AID MEASURES wash mouth and nasal passages with water repeatedly; if breathing diffi	culties persist seek
SKIN: Wash contacted area with soap and water; DC attention.	NOT attempt to neutralize with chemical agents; if irritation persists, so	eek medical
EYES: Check for and remove contact lenses. Immediately.	diately flush eyes for 15 minutes in clear running water while holding ey	elids open; seek
INGESTION: Drink large quantities of water or milk; I medical attention immediately.	DO NOT induce vomiting; never give anything by mouth to an unconsci	ous person; seek
SECTION	5 - FIRE FIGHTING MEASURES	
FLASH POINT (METHOD USED)		Not applicable
Non-flammable	AUTOIGNITION TEMPERATURE: Not determined NFPA	CLASS: None
GENERAL HAZARDS: Product is alkaline. Products monoxide.	of combustion include compounds of carbon, hydrogen and oxygen, in	cluding carbon
EXTINGUISHING MEDIA Carbon dioxide, water, water fog, dry chemical, che	mical foam.	
FIRE FIGHTING PROCEDURES Keep containers cool with water spray to prevent co Material is alkaline and will irritate the eyes if produ- UNUSUAL FIRE AND EXPLOSION HAZARDS None	ontainer rupture due to steam buildup; floor will become slippery if mate ct is allowed to directly contact the eyes.	rial is released.
HAZARDOUS COMBUSTION PRODUCTS Smoke, fumes or vapors, oxides of carbon.		
SECTION 6-A	ACCIDENTAL RELEASE MEASURES	
directly contact the eyes. Wash small spills to sanita	EASED OR SPILLED: Material is alkaline and will irritate the eyes if pro ry sewer. Large spills - confine spill, soak up with approved absorbent, ted product, refer to SARA Title III, Section 313 40 CFR 372 for comple	shovel product
SECTION	7 - HANDLING AND STORAGE	
PRECAUTIONS TO BE TAKEN IN HANDLING AND protect from extreme temperatures. Keep this and ot	STORAGE: Keep container closed when not in use; protect containers her chemicals out of reach of children.	from abuse;
SECTION 8 - EXPOSU ENGINEERING CONTROLS	RE CONTROLS / PERSONAL PROTECTION	
The use of local exhaust ventilation is recommended.	Use corrosion-resistant ventilation equipment.	
limits, NIOSH approved respirator must be worn. Ref regulations.	e threshold limits are kept below maximum allowable concentrations; if fer to 29 CFR 1910.134, ANSI Z88.2, or European Standard EN 149 for	
PROTECTIVE GLOVES: Neoprene, butyl or nitrile ru		
	er to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166. Coveralls, apron, or other equipment should be worn to minimize skir	n contact, safety
WORK / HYGIENIC PRACTICES: Practice safe work	place habits. Minimize body contact with this, as well as all chemicals	in general.

MATERIAL SAFETY DATA SHEET							
PRODUCT NAME: PATTON * GENERAL *				Page 3 of 4			
April 23, 2008			· · · · · · · · · · · · · · · · · · ·				
	SICAL AN		AL PROPERTIES				
APPEARANCE AND ODOR VAPOR DENSITY (AIR = 1)							
Green liquid, mild characteristic odor SPECIFIC GRAVITY (WATER = 1)	< 1 EVAPORATION RATE (Water = 1)						
1.010		<pre>EVAPORATION RATE (Water = 1) < 1</pre>					
SOLUBILITY IN WATER	% VOLATILE (BY WEIGHT)						
Complete		97%					
pH	VAPOR PRESSURE						
12.0 - 12.5 BOILING POINT	17 mm Hg @ 20° C FREEZING POINT						
212° F (100° C)	$32^{\circ} F(0^{\circ} C)$						
VISCOSITY		VOLATILE ORGANIC COMPOUNDS (VOC's)					
Like that of water		None					
	10 - STABIL		REACTIVITY				
STABILITY UNSTABLE:		CONDITIONS 1	TO AVOID: Extreme temperatur	es.			
STABLE: INCOMPATIBILITY (MATERIALS TO AVOID): Strong							
INCOMPATIBILIT (MATERIALS TO AVOID): STON	y UNIUIZEIS, SUOI	iy acius.					
HAZARDOUS DECOMPOSITION OR BYPRODUCTS	S: Decompositio	on will not occur i	f handled and stored properly	y. In case of a fire, oxides of			
carbon, hydrocarbons, fumes or vapors, and smoke m	nay be produced						
HAZARDOUS POLYMERIZATION MAY OCCUR:	V	CONDITIONS	TO AVOID: None				
WILL NOT OCCUR:		OCICAL IN	FORMATION				
SECTION IT	- TOXICOL	UGICAL IN	LD50 of Ingredient	LC50 of Ingredient			
Hazardous Ingredients	CAS #	EINECS #	Species and Route	Species			
	111 70 0	000.005.0	470 mg / kg	450 ppm / 4H			
Ethylene glycol monobutyl ether (a,b)	111-76-2	203-905-0	Oral - rat	Inhalation - rat			
(a) See Section 15							
SECTION 1	12 - ECOLO	GICAL INF	ORMATION				
No data are available on the adverse effects of this ma	aterial on the en	vironment. Neith	ner COD nor BOD data are a	vailable. Based on the			
chemical composition of this product it is assumed that							
limited quantities. However, such treatment should be this mixture are classified as a Marine Pollutant.	e evaluated and	approved for eac	ch specific biological system.	None of the ingredients in			
			<u></u>				
SECTION 1	3 - DISPOS	AL CONSIL	DERATIONS				
WASTE DISPOSAL METHOD: Dispose of in accorda							
waste disposal regulations for alkaline materials. Cor	sult your local, s	state, or federal a	agency before disposing of a	ny chemicals.			
05071011	AA TOANC		001117011				
SECTION 14 - TRANSPORT INFORMATION							
PROPER SHIPPING NAME:	Non - Hazardou	us for Transport					
DOT HAZARD CLASS / Pack Group: Not regulated IATA HAZARD CLASS / Pack Group: Not regulated							
REFERENCE: Not Applicable IMDG HAZARD CLASS: Not regulated UN / NA IDENTIFICATION NUMBER: None RID/ADR Dangerous Goods Code: Not regulated							
UN / NA IDENTIFICATION NUMBER: None RID/ADR Dangerous Goods Code: Not regulated LABEL: None Required UN TDG Class / Pack Group: Not regulated							
HAZARD SYMBOLS: None Hazard Identification Number (HIN): None							
Note: Transportation information provided is for refe							
Nations TDG, and WHMIS (Canada) TDG information	on manuals for c	letailed regulatio	ns and exceptions covering s	specific container sizes,			
packaging materials and methods of shipping.							

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: PATTON * GENERAL *

April 23, 2008

SECTION 15 - REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories

None

313 Reportable Ingredients:

(a) Indicates a toxic chemical subject to annual reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

CERCLA (Comprehensive Response Compensation and Liability Act)

None

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no reportable chemicals present known to the state of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: D2B

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

Risk Phrases R36/38 Irritating to eyes and skin.	SYMBOL(S) REQUIRED FOR LABEL	Safety Phrases S2 Keep out of the reach of children. S24/25 Avoid contact with skin and eyes. S28 After contact with skin, wash immediately wit				
			nty of soap and water.			
SECTION	16 - OTHER INFORI	NATI	ON			
Specific toxicity tests have not been conducted on this ingredients, technical literature, and/or professional exp		s base	d on Information from similar	products, the		
HMIS HAZARD RATINGS	HEALTH	1	* = Chronic Health Hazard	2 = MODERATE		
	FLAMMABILITY	0		3 = HIGH		
	PHYSICAL HAZARD	0	1 = SLIGHT	4 = EXTREME		
PERSO	ONAL PROTECTIVE EQUIPMENT	С	Safety Glasses, Gloves, Apror	1		
REVISION SUMMARY:	MSDS Prepare	ed by:				
This MSDS has been revised in the following section						
No changes noted P.O. Box 686 Seffner, FL 33583 USA						
(863) 644 - 3						
The information contained herein is believed to be accurate but is no manufacturer of the product and manufacturers of the components of applicable and suited to the circumstances of use. Vendor assumes reasonable safety procedures are not adhered to as stipulated in the of this material even if reasonable safety procedures are followed. A described in Section 1.	of the product. Users are advised to con no responsibility for injury to vendee or a data sheet. Furthermore, vendor assur	firm in ac third per nes no n	lvance of need that information is cu sons proximately caused by the mat esponsibility for injury caused by abr	rrent, erial if iormal use		